## AMENDMENTS TO THE CLAIMS

1. (Currently amended) A hardenable termite-controlling composition which comprises a hydraulic material, a termiticide and a soil, and is in the form of a dust-granule mixture,

wherein the soil comprises a gravel component and/or a crushed inorganic waste, and the gravel component and the crushed inorganic waste have a particle size of 2 to 5 mm.

## 2-3. (Cancelled)

- (Previously presented) The hardenable termite-controlling composition according to claim
  which is prepared without mixing water.
- 5. (Previously presented) The hardenable termite-controlling composition according to claim 1, wherein the soil further comprises a fine grain component, and the weight ratio of the gravel component relative to the fine grain component is 99.9/0.1 to 5/95.
- 6. (Previously presented) The hardenable termite-controlling composition according to claim 5, wherein the fine grain component comprises a sand component and a dirt component, and the weight ratio of the sand component relative to the dirt component is 99/1 to 10/90.
- 7. (Cancelled)
- 8. (Previously presented) The hardenable termite-controlling composition according to claim 1, wherein the weight ratio of the soil relative to the hydraulic material is 95/5 to 70/30.
- (Previously presented) A process for controlling a termite, which comprises a step (A) of laving the hardenable termite-controlling composition recited in claim 1 on an area to be treated.

- 10. (Previously presented) The termite-controlling process according to claim 9, comprising the step (A) of laying the hardenable termite-controlling composition on the area to be treated, and a step (B) of applying water to the laid hardenable termite-controlling composition.
- 11. (Previously presented) The termite-controlling process according to claim 10, wherein the step (B) comprises a step (B<sub>1</sub>) of applying a liquid containing water to the laid hardenable termite-controlling composition, or a step (B<sub>2</sub>) of laying a concrete or a soil containing water on the laid hardenable termite-controlling composition.
- 12. (Previously presented) The termite-controlling process according to claim 11, wherein the liquid applied in the step (B<sub>1</sub>) contains a termiticide.
- 13. (Previously presented) The process for controlling a termite, which comprises a step (C) of mixing a hardenable termite-controlling composition recited in claim 1 with water, and a step (D) of laying the mixture on an area to be treated.
- 14. (Previously presented) The termite-controlling process according to claim 13, wherein the hardenable termite-controlling composition, the water and a termiticide are mixed in the step (C).
- 15. (Previously presented) The termite-controlling process according to claim 9, wherein the area to be treated comprises at least one area selected from the group consisting of an infested area, an inhabited area and a breeding area of termites.
- 16. (Previously presented) The termite-controlling process according to claim 13, wherein the area to be treated comprises at least one area selected from the group consisting of an infested area, an inhabited area and a breeding area of termites.
- 17. (Previously presented) The hardenable termite-controlling composition according to claim 1, wherein the gravel component and the crushed inorganic waste have a particle size of 2 to 3.5 mm.

U.S. Serial No. 10/574,109 Attorney Docket No. 2006\_0156A

September 22, 2010

18. (Previously presented) The hardenable termite-controlling composition according to claim 1, further comprising a fine-grained component, wherein the fine grain component comprises a sand component having a particle size of 0.2 to 2 mm.

 $\textbf{19. (Currently amended)} \ \ \textbf{The hardenable termite-controlling composition according to claim}$ 

1, further comprising a wherein the termiticide is in a formulation of a microcapsule.